

DS104 Series

DOLPHIN WALL PLATE MOUNTED INFORM TAP

I > Dolphin Wall Plate Mounted InForm Tap

- > Manufactured from high-quality, highly durable 1.4401 (316) Marine grade stainless steel.
- > Self-monitoring analysis and recording technology (smart) allows the facilities Manager to connect point to point via the Dolphin InForm App when used with the optional Bluetooth Adaptor (Sold separately – Order product code 25148)
- > Infrared Touch Free Tap – for ultimate hygiene – prevents cross contamination - sensor mounted in end of spout
- > 55° Spout
- > Designed to be front mounted for when rear access installation is not possible
- > Flow rate – 3.78 litres/minute with the standard fitted flow regulator (contained within NeoperlTT cache aerator)
- > Operating pressure: 0.5 bar minimum to 8.0 bar maximum
- > Other flow rates including 1.89 litres/minute available to special order – please enquire
- > Water supply: single inlet cold or pre-mixed – a TMV2 or TMV3 thermostatic mixing valve is recommended for premixed applications
- > Maximum operating water temperature – 65°C
- > Power supply
- > Nominal current: Less than 1mA (Less than 25mA with Bluetooth)
- > Nominal power: Less than 1W
- > Security time can be adjusted via the App – default 20 seconds (60 seconds max)
- > IP68 connector

DIAMETER
PROJECTION


28 MM
see below

PRODUCT CODES

- > **DS104.130.1** Dolphin Brushed Satin Stainless Steel Wall Plate Mounted InForm Tap 130mm projection
- > **DS104.180.1** Dolphin Brushed Satin Stainless Steel Wall Plate Mounted InForm Tap 180mm projection
- > **DS104.230.1** Dolphin Brushed Satin Stainless Steel Wall Plate Mounted InForm Tap 230mm projection
- > **DS104.280.1** Dolphin Brushed Satin Stainless Steel Wall Plate Mounted InForm Tap 280mm projection
- > **DS104.330.1** Dolphin Brushed Satin Stainless Steel Wall Plate Mounted InForm Tap 330mm projection
- > **DS104.130.2** Dolphin Mirror Polished Stainless Steel Wall Plate Mounted InForm Tap 130mm projection
- > **DS104.180.2** Dolphin Mirror Polished Stainless Steel Wall Plate Mounted InForm Tap 180mm projection
- > **DS104.230.2** Dolphin Mirror Polished Stainless Steel Wall Plate Mounted InForm Tap 230mm projection
- > **DS104.280.2** Dolphin Mirror Polish Stainless Steel Wall Plate Mounted InForm Tap 280mm projection
- > **DS104.330.2** Dolphin Mirror Polish Stainless Steel Wall Plate Mounted InForm Tap 330mm projection


OPTIONS

Flow Rate Curve



PCA® Perlator®
Faucet Aerator - 3.78 lpm max
 Pressure Compensating Tom Thumb® Size

Flow Rate Curve



flow, stop and go®

PCA® Perlator®
Laminar Stream - 1.89 lpm max
 Pressure Compensating Tom Thumb® Size

DS104.180.1 (Brushed Satin)



Available Finishes


- 1 Brushed Satin
- 2 Mirror Polished

Power Supply Options

- 25147 UK mains adaptor
- 25428 Euro mains adaptor
- 25240 Hardwire transformer
- 25241 Battery pack

DS104.180.2 (Mirror Polished)





DOLPHIN SOLUTIONS LIMITED
 DOLPHIN WALL PLATE MOUNTED INFORM TAP
 WITH WALL MOUNTED ASSY
 DS104.130

